



Tel.: 8 (800) 250-82-77

Sales department: elcar@tigarbo.ru

Service and parts: elparts@tigarbo.ru

General information: info@tigarbo.ru

J.S.Co. «KOMZ-Export»
347825, Rostov area, Kamensk-Shahtinski,
Zavodskoi settl., Zavodskaja str.,16

Electromobile

Elecar 5E-TIGARBO 2+2

1 616 094 ₺ (include VAT)

The electric car model Elecar 5E-TIGARBO 2+2 is perfect choice for use in cottage villages, golf clubs and private premises due to its environmental friendliness and comfort. Application of the passenger-model of the electric car will completely eliminate the use of gasoline vehicles in the areas where it is necessary to keep silence, environmental friendliness and inhabitants safety. The car is easy to operate and maintain. It meets the highest requirements.

Localization of production in Russia is 85%



Elecar 5E-TIGARBO 2+2

Technical specifications

General	
Vehicle type in Russia	Quad bike
Vehicle type in Europe and USA	Low Speed Vehicle (LSV)
Seating	4
Steering position	Left
Producing country	Russia
Chassis	
Frame	Spatial aluminum frame Alu-F with additional protective coating
Body parts	ABS plastic
Rear parts	Embossed aluminum
Steering	Rack and pinion steering
Front suspension	Independent double wishbone with spherical bearing and shock-absorbers
Rear suspension	Independent spring suspension
Motor	
Number of electric motors	1
Electromotor	Golden Motor
Type of electric motor	Brushless DC motor, air cooled
Motor voltage	72 V
Motor power (rated)	3,9 kW 5,3 hp
Electric motor power (peak)	7,5 kW 10,2 hp
Torque (rated)	14 N*m
Torque (peak)	24 N*m
Motor control unit	Controller Kelly
Rated current	100 A
Max phase current	300 A
Batteries (high voltage)	
Battery model	Trojan
Type	Acidic, served
Batteries number	6 pcs
Batteries capacity	120 A*h
Transmission	
Drive	FWD
Transmission type	Forward and reverse

Brake	
Front brake	Hydraulic with disc
Rear brake	Hydraulic with disc
Parking brake	Hydraulic on front axle
Performance	
Max forward speed	25 km/h 15,5 mph
Range (up to)	60 km (depending on speed, use, weather etc.)
Charging network type	Household, 220V
Charge time	Approx. 7 hours (for full charge)
Turning radius (outer circle)	4300 mm 169,3 in
Climb overcome	15%
Voltage on Board	12 V
Dimensions	
Overall Length	3230 mm 127,2 in
Overall Width (excluding mirrors)	1420 mm 55,9 in
Overall Width (including mirrors)	1620 mm 63,8 in
Height	1850 mm 72,8 in
Ground standard clearance	200 mm 7,9 in
Wheelbase	1940 mm 76,4 in
Track front	1165 mm 45,9 in
Track rear	1210 mm 47,6 in
Tires	185/60/R14
Wheels	6Jx14
Weight	
Curb weight (excluding battery)	450 kg 992,3 lbs
Battery weight	200 kg 441 lbs
Curb weight (including battery)	650 kg 1433,3 lbs
Vehicle capacity weight	300 kg 661,5 lbs
Gross weight	950 kg 2094,8 lbs

Standard features

Exterior

- Frame color - black
- Color of mirrors - black
- Windshield triplex
- Front wiper blade
- LED optics for low and high beams
- Side view mirrors
- Wheels R14" model Desing X1
- Summer tires 185/60 R14" Viatti Strada Asymmetrico
- The cargo rear is equipped passenger double sofa

Interior

- Parprize color - black
- Three-point automatic harness security
- Color of seat belts - black
- Multifunctional instrumentation panel
- Rear view mirror
- Passenger safety handles
- Seat upholstery made of eco-leather
- Armrest for driver and passengers
- Glove box

Service information

- Cruise control
- Electromagnetic parking brake
- Built-in charger
- Charging from a household power supply 220 V
- Sound signal (horn)
- Setting a speed limiter
- Manual
- Passport
- 24 months warranty

Additional option

Exterior

- Body color - orange (30 000 ₺)
- Roof color - black (7 500 ₺)
- Color of the back - orange (15 000 ₺)
- Seat upholstery color – brown (30 000 ₺)

Interior

- Bluetooth car radio (15 000 ₺)
- Rear glazing (15 000 ₺)

Technical part

- Checkpoint Benevelli (90 000 ₺)



Tel.: 8 (800) 250-82-77

Sales department: elcar@tigarbo.ru

Service and parts: elparts@tigarbo.ru

General information: info@tigarbo.ru

J.S.Co. «KOMZ-Export»
347825, Rostov area, Kamensk-Shahtinski,
Zavodskoi settl., Zavodskaja str., 16